

ASCORBIC ACID STABILIZED



www.asp-inc.com

VITAMIN SUPPLEMENT

INDICATIONS

A water soluble source of stabilized Vitamin C for use in drinking water of livestock.

INGREDIENTS

Guaranteed Analysis......Per Pound: Ascorbic Acid (Vitamin C).....302,400 mg

DIRECTIONS FOR USE

Pre Slaughter Vitamin Supplementation

Mixing Directions: Mix 2, one pound packages with 256 gallons of water, or mix 2, one pound packages in two gallons of stock solution and meter at one ounce per gallon of drinking water. Administer for 12 hours prior to slaughter.

For Vitamin Maintenance

Supplementation: Mix ½ to 1 package with 256 gallons of water, or mix ½ to 1 package in two gallons of water and meter at one ounce per gallon of drinking water. Use for 3 to 5 days. Use within four (4) hours of mixing.

CAUTIONS

Use within 4 hours of mixing. Avoid excessive heat. Store in a cool, dry place. For animal use only. Not for human consumption. Keep out of reach of children.

PACKAGING

Net contents 6 ounces (170.1 grams) per individual package

48 packages per re-useable shipping bucket

ADVANTAGES

- Contribute to growing bone (osteoid) tissue.
- Essential to tissue respiration.
- Essential to proper healing of wounds.
- Assists in vascular function.
- Convenient package size for water proportioners.
- Necessary for overall integrity of intracellular substances.