

# SAFETY DATA SHEET

## PRODUCT AND COMPANY IDENTIFICATION

Product name: DL-METHIONINE FEED GRADE

General Use: Feed Additives

Supplier:

SUMITOMO CHEMICAL COMPANY, LIMITED

## **Contact Department / Section:**

Marketing Department, Animal Nutrition Division Tokyo Sumitomo Twin Building (East), 27-1, Shinkawa 2-chome, Chuo-ku, Tokyo, 104-8260 Japan

**Telephone:** +81-3-5543-5740

Fax: +81-3-5543-5758

## **Emergency telephone:**

Asia Pacific except China: +65-3158-1074 (CARECHEM24, Singapore)

China: +86-10-5100-3039 (CARECHEM24, Beijing, China)

Europe, Israel & Americas except USA: +44-1235-239-670 (CARECHEM24, UK)

Middle East & Africa: +44-1235-239-671 (CARECHEM24, UK)

USA: +1-800-424-9300 (CHEMTREC, USA)

# 2 HAZARDS IDENTIFICATION

# **GHS** classification:

GHS Classification.		
Physical hazards	Explosives	Not applicable
_	Flammable gas.	Not applicable
	Flammable aerosol.	Not applicable
	Oxidizing gases	Not applicable
	Gases under pressure	Not applicable
	Flammable liquids	Not applicable
	Flammable solid.	Classification not possible
	Self-reactive substances and mixtures	Not applicable
	Pyrophoric liquids	Not applicable
	Pyrophoric solids	Not classified
	Self-heating substances and mixtures	Classification not possible
	Substances and mixtures, which in contact	Not applicable
	with water, emit flammable gases	
	Oxidizing liquids	Not applicable
	Oxidizing solids	Not applicable
	Organic peroxides	Not applicable
	Corrosive to metals	Classification not possible
Health hazards	Acute toxicity (Oral)	Not classified
	Acute toxicity (Dermal)	Classification not possible
	Acute toxicity (Inhalation - gas)	Not applicable
	Acute toxicity (Inhalation - vapour)	Classification not possible
	Acute toxicity (Inhalation - dust and mist)	Classification not possible

	Skin corrosion/irritation	Not classified
	Serious eye damage/eye irritation	Not classified
	Respiratory sensitizer	Classification not possible
	Skin sensitizer	Classification not possible
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Classification not possible
	Toxic to reproduction	Classification not possible
	Specific target organ toxicity - single	Classification not possible
	exposure	
	Specific target organ toxicity - repeated	Classification not possible
	exposure	
	Aspiration hazard	Not applicable
<b>Environmental hazards</b>	Acute hazards to the aquatic environment	Not classified
	Chronic hazards to the aquatic environment	Not classified

GHS label elements: Not Applicable

**Hazardous statements:** The product may form flammable or explosive dust-air mixtures.

# 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substance or Mixture: Substance

Chemical Name: DL-Methionine, DL-2-amino-4-methylthio butanoic acid

Formula: C5H11NO2S

Chemical name	Concentration	CAS-number
DL-Methionine	99% min.	59-51-8

# 4 FIRST AID MEASURES

**Inhalation:** Rinse mouth thoroughly with water.

Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

Administer oxygen if breathing is difficult.

Apply artificial respiration if victim is not breathing.

Keep victim warm with a blanket etc. Get immediate medical advice/attention.

**Skin contact:** Remove/ take off immediately contaminated clothing and shoes.

Gently wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

**Eye contact:** Do not rub eye.

Hold eyelids apart.

Begin to rinse with water as soon as possible and rinse cautiously for

at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

**Ingestion** Rinse mouth thoroughly with water.

Give large quantities of water and/or induce vomiting.

Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

Keep victim warm with a blanket etc. Get immediate medical advice/attention. Administer oxygen if breathing is difficult.

Apply artificial respiration if victim is not breathing. Do not give victim anything to drink if he is unconscious.

Effect of exposure to substance may be delayed.

Medical observation is indicated.

## 5 FIRE-FIGHTING MEASURES

**Extinguishing media:** Small fires: Dry chemical powder, Carbon dioxide, Dry sand

Large fires: Regular foam, Water spray, Fog.

Unsuitable extinguishing

media:

Straight streams

Unusual Fire & Explosion Hazards:

Will be easily ignited by ignition sources such as heat, mechanical

sparks, static discharge or open flames.

When heated, decomposition gases may form explosive mixtures

with air.

Fire may produce flammable and/or harmful gases (See "10. Stability

and reactivity").

Powders or dusts may explode or burn with explosive violence. Risk of fire and explosion on contact with incompatible material(s).

Special Fire Fighting

Procedures:

If possible, fight fire from protected position.

Keep upwind.

Keep unauthorized personnel away.

If possible, remove containers exposed to heat or cool with water. Do not scatter spilled material with high pressure water streams. Dike fire water for later disposal; do not spread the material.

**Protective Measures:** 

Wear regional, national, and local standards approved fire fighting

turnout gear and positive pressure self-contained breathing

apparatus (SCBA).

Structural firefighters' protective clothing will only provide limited protection from heat, and may not provide adequate protection from

the harmful vapors or liquids.

## 6 ACCIDENTAL RELEASE MEASURES

**Personal precautions** 

and Protective equipment:

Wear appropriate protective equipment.

Use personal protection recommended in "8. Exposure

control/personal protection".

Isolate spill or leak area for proper distance in all directions.

Do not touch or walk through spilled material.

**Emergency measures** Keep all unauthorized personnel upwind away.

Consult an expert.

Warn habitants surroundings. Block navigation on waterways.

Form large safety zone.

Environmental precautions:

Prevent entry spilled material and runoff from spillage control into

waterways, sewers, basements or confined areas.

Avoid release to the environment.

**Spill Cleanup Methods:** For small spill, collect spilled solid/particle solid into sealable

containers.

Use clean non-sparking tools.

Collect fine substance by dust explosion-proof cleaner to prevent

scatter.

For large spill, wet down with water and dike for the later disposal.

See "13. Disposal considerations".

Prevention of second disaster:

Eliminate all ignition sources such as heat/sparks/open flames/hot

surfaces/static discharges.

Use explosion-proof electrical equipment and lighting.

Prevent from accumulation of static electricity by grounding and bonding of all equipment, and by wearing work clothings made of

appropriate material.

Prepare appropriate extinguishing agent. (See "5. Fire-fighting

measures")

Prevent dust cloud or/and dust accumulation.

For large spill, consider initial downwind evacuation for proper

distance.

#### 7 HANDLING AND STORAGE

**Handling and** Use only outdoors or in a well-ventilated area.

technical measures : Eliminate all ignition sources.

Handle dust in closed system.

Prevent dust cloud and dust accumulation.

Do not breath powder or dust.

As precautions for electrostatic discharge, inerting closed systems

and explosion pressure venting of confined spaces are

recommended.

Use only metal or electrically conductive plant units (pipelines, ducts, silos, etc.) and ground/bond all of them. Do not use insulating

equipment and conductive equipment with insulating inner lining or coating, unless taking precautionary measures of inerting with

nitrogen or inert gas.

If dust generates, use dust explosion-proof electrical/ventilating/lighting/equipment.

Take precautionary measures against static discharge.

Ground person by means of antistatic shoes with antistatic clothing

and conductive floors.

Consult an expert about further precautionary measures for dust

explosion.

**precautions:** Ventilate by appropriate method. (See "8. Exposure control/personal

protection")

Install appropriate equipment and wear appropriate protective clothing. (See "8. Exposure control/personal protection")

Wash hands and face thoroughly after handling.

Eating, drinking and smoking in work areas is prohibited. Contaminated work clothing should not be allowed out of the

workplace.

Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

Keep containers tightly closed.

**Storage:** Well ventilate by proper manner according to regional, national and

local regulations.

Protect against direct sunlight. Keep in a fire-proof designed place.

Separate form incompatible materials. See "10. Stability and

reactivity".

Recommended packaging material:

Use package or container with anti-static discharge liner.

# 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Permissible Japan Society for Occupational Health (2010)

**concentration**: 8 mg/m3 ( Class3 / Total dust)

2 mg/m3 (Class3 / Respirable dust)

ACGIH (2010)

Particles not otherwise specified 10 mg/m3 (Inhalable particles) 3 mg/m3 (Respirable particles)

**Engineering control:** Use closed system and equipment, or local and/or general exhaust to

maintain product dust concentrations in air below occupational

exposure standards.

Wear personal protective equipment (PPE) for handling the product. Wear positive pressure self-contained breathing apparatus (SCBA) in circumstance above occupational exposure standards for dust

including emergency procedures and cleaning for accidental release.

Personal protective equipment (PPE) should be chosen only

according to specific regulatory requirements.

Maintain eye wash fountain and quick-drench facilities in work area. Control equipment and handling to prevent dust explosion hazards.

See "7. Handling and storage".

**Hygiene control:** Avoid inhalation of dust.

Do not eat, drink or smoke during work.

Wash thoroughly after handling and before eating or drinking.

Respiratory Protection: Breathing protective equipment should be chosen only according to

specific regulatory requirements.

Wear positive pressure self-contained breathing apparatus (SCBA) in

circumstance above occupational exposure standards for dust

including emergency procedures and cleaning for accidental release.

**Hand protection:** Impervious gloves.

**Eye protection:** Eye protective equipment should be chosen only according to

specific regulatory requirements.

Chemical safety goggles.

**Skin protection:** Personal protective equipment (PPE) should be chosen only

according to specific regulatory requirements.

Suitable impervious protective clothing, including protective footwear,

6/10

gloves, lab coat, apron or coveralls.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Crystalline powder

**Color:** White or pale yellow

Odor: Characteristic

**pH:** 5.2 – 6.1 (1% aqueous solution)

**Melting Point:** Not available. (decomposition : > 250°C)

(EEC A.1 OECD102)

Boiling Point: Not applicable

Flash Point: Not applicable

Autoignition Temperature: No data available

Flammability Limit - Upper (%)-: No data available

Flammability Limit - Lower (%)—: No data available

**Flammability:** Not considered as highly flammable (EC A. 16)

**Lower Limit of Dust Explosion :** 60 g/m3 (particle size < 75  $\mu$  m) (JIS Z 8118(2002))

**Vapor pressure:** < 8.40 X  $10^{-7}$  Pa (20°C) (EEC A. 4 OECD104)

Vapor density (air=1): No data available

Relative density: 1.32 g/cm3 (EC A. 3 OECD 109)

**Bulk density:** 0.50 - 0.80 g/cm3 (CIPAC MT159)

Solubility in Water: 31.6 g/l ( $20^{\circ}$ C) (EC A. 6 OECD105)

**Solubility (other):** Soluble in diluted acids, alkalis. Very slightly soluble in

95% ethyl alcohol. Insoluble in diethyl ether.

Partition coefficient (n-octanol/water): log Pow : -3.5 (EC A. 8 OECD107)

**Decomposition Temperature:** > 250°C (EEC A. 1 OECD102)

## 10 STABILITY AND REACTIVITY

**Stability:** Stable at normal conditions.

May form explosive dust cloud.

**Condition to avoid** Ignition sources (open flame, spark, heat, hot surface, static

discharge etc.), incompatibles.

Incompatible Materials Strong oxidizers

**Decomposition Products** Carbon monoxide, Carbon dioxide, Hydrocarbons,

Sulfuric oxides, Nitrogen oxides

#### 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

**Oral:** LD50 : > 5000 mg/kg (rats, mice)

**Dermal:** LD50 : > 2000 mg/kg (mice)

Inhalation - gas: Not applicable

Inhalation - dust and mist: Classification not possible

**Inhalation - vapour:** Classification not possible

**Skin corrosion/irritation:** Not irritating (rabbit)

Serious eye damage/eye

irritation:

Mildly Irritating (rabbit)

Respiratory sensitizer/Skin

sensitizer:

No data available

Germ cell mutagenicity:

In vitro: Negative (Ames test)
In vivo: No data available

**Sub-acute Toxicity:** No adverse effects were found in rats orally treated at the

dose level of 25 - 200 mg/kg/day for 90 days.

Carcinogenicity: No data available

Reproductive toxicity: No data available

Specific target organ toxicity

following single exposure:

No specific target organs noted

Specific target organ toxicity

following repeated exposure:

No specific target organs noted

Aspiration hazard: No data available

Other Effects: No data available

## 12 ECOLOGICAL INFORMATION

Acute toxicity:

Fish: LC50 (96hr) : > 100 mg/L (Oryzias latipes)

Aquatic invertebrates: EC50 (48hr) : > 1000 mg/L (Daphnia magna)

Aquatic Plants: ErC50 (72hr): > 1000 mg/L (Pseudokirchneriella

subcapitata)

**Chronic Toxicity:** 

Fish: No data available

**Aquatic invertebrates:** NOEC (21d) : 32 mg/L (Water flea reproductive test)

Aquatic Plants: No data available

Persistence and Degradability: No data available

**Bioaccumulative potential:** log Pow = - 3.5 (low bioaccumulation potential)

**Mobility:** No data available

#### 13 DISPOSAL CONSIDERATIONS

**Waste disposal:** Disposal must be in accordance with local regulations.

**Container disposal:** Disposal must be in accordance with local regulations.

# 14 TRANSPORT INFORMATION

International standards: Hazard Class: Not regulated

UN number: none

Domestic Standard: In compliance with domestic law.

## 15 REGULATORY INFORMATION

This product complies with the competent regulations in an applicable country or region.

#### **Inventory Status**

Australia AICS:

Canada DSL Inventory List:

On or in compliance with the inventory
On or in compliance with the inventory
On or in compliance with the inventory

EU EINECS List:

On or in compliance with the inventory
Not in compliance with the inventory.

Japan (ENCS) List:

On or in compliance with the inventory.

On or in compliance with the inventory

Not in compliance with the inventory.

China Inv. Existing Chemical Substances:

New Zealand Interim Inventory of Chems.:

Not in compliance with the inventory.

Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI):
Canada NDSL Inventory:
Philippines PICCS:
US TSCA Inventory:

Not in compliance with the inventory.
On or in compliance with the inventory on or in compliance with the inventory

New Zealand Inventory of Chemicals:

Switzerland Consolidated Inventory:

Japan ISHL Listing:

On or in compliance with the inventory.

Not in compliance with the inventory.

On or in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

SDS No: LMTX00100JP\_EN003 9/10

10/10

# 16 OTHER INFORMATION

Disclaimer:

The provided information is based on currently available law, materials, information, and data; however, information regarding concentration, physical and chemical properties, and hazard identification is not guaranteed. Precautions for safe handling are intended for a normal condition. In case of specific condition, please handle a product with appropriate safety measures that are compatible to the product usage.