

ECONO-LYTE™

SOLUBLE ELECTROLYTE



www.asp-inc.com

Specification Sheet

INDICATIONS

Provides supplemental elements for use in maintaining a healthy fluid balance

ADVANTAGES

- Use to maintain fluid consumption and retention
- Replenishes cells and aids in normal body function
- Superior solubility enhances availability of electrolytes and fluid capacity of body cells

INGREDIENTS

Potassium Chloride, Citric Acid, Sodium Chloride, Ascorbic Acid (20,000 mg/lb), Potassium Sulfate, Magnesium Sulfate and artificial flavor

Guaranteed Analysis:

<u>CATIONS:</u>	<u>%</u>	<u>mEq/100g</u>
Potassium	44.88	1151
Sodium	4.00	174
Magnesium	0.05	4

<u>ANIONS:</u>	<u>%</u>	<u>mEq/100g</u>
Chloride	41.09	1161
Sulfur	0.10	3

CAUTIONS

Keep out of reach of children
Not for human consumption
Store in a cool, dry place

PACKAGING

453.6g (1 lb) individual packages
35 packages per reusable shipping bucket

DIRECTIONS FOR USE

Mixing Directions: Dissolve one 1 lb (453.6g) package in 256 gallons (973 L) of drinking water, or one package in 2 gallons (7.6 L) of stock solution and meter at the rate of 1 oz/gal (30 ml/3.8 L) of drinking water. Use as the sole source of drinking water for 3 to 5 days.

Specific Uses

- Poultry:** **Heat Stress:** Use during periods of high temperatures to supplement nutrients, elements and vitamins.
Debeaking/Vaccinating: Use as sole source of water for 48 hours before and 48 to 72 hours prior to loading.
Handling/Transporting to market: Use as sole source of water for 48 to 72 hours prior to loading.
- Swine:** **Transporting to market:** Use as the sole source of water 24 to 48 hours prior to loading and shipping.
Scouring: Use as the sole source of water for 72 to 120 hours, according to the severity of conditions.
- Livestock:** **Shipping:** Use as the sole source of water 24 to 48 hours prior to shipping.
Receiving: Use as the sole source of water for the first 48 to 72 hours upon arrival to new location.